






## Lead Free Isolation Ball Valves

List Price Sheet March 13, 2016

	Isolation Ball Valves - Iron Pipe						
	KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
	ISOLATIONBVIP12	Iron Pipe	1/2	1.13	\$19.58	1	20
	ISOLATIONBVIP34	Iron Pipe	3/4	1.38	\$24.41	1	20
	ISOLATIONBVIP1	Iron Pipe	1	1.71	\$32.97	1	20
	ISOLATIONBVIP114	Iron Pipe	1-1/4	2.29	\$50.35	1	20

	Isolation Ball Valves - Sweat						
	KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
	ISOLATIONBVC12	Sweat	1/2	1.11	\$25.83	1	20
	ISOLATIONBVC34	Sweat	3/4	1.36	\$30.71	1	20
	ISOLATIONBVC1	Sweat	1	1.65	\$38.50	1	20
	ISOLATIONBVC114	Sweat	1-1/4	2.21	\$47.80	1	20

	Isolation Ball Valves - Press						
	KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
	ISOLATIONBVP12	Press	1/2	1.15	\$25.90	1	20
	ISOLATIONBVP34	Press	3/4	1.44	\$31.55	1	20
	ISOLATIONBVP1	Press	1	1.73	\$33.13	1	20
	ISOLATIONBVP114	Press	1-1/4	2.25	\$52.34	1	20

## Lead Free Ball Valves

List Price Sheet March 13, 2017

Sweat - C x C						
KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
LFFPBVC1/2	Sweat	1/2	0.4	\$7.63	20	100
LFFPBVC3/4	Sweat	3/4	0.64	\$12.05	10	60
LFFPBVC1	Sweat	1	1.01	\$18.66	8	40
LFFPBVC11/4	Sweat	1-1/4	1.48	\$35.20	4	24
LFFPBVC11/2	Sweat	1-1/2	2.33	\$46.40	3	18
LFFPBVC2	Sweat	2	3.21	\$69.76	2	12
LFFPBVC21/2	Sweat	2-1/2	6.58	\$138.71	2	4
LFFPBVC3	Sweat	3	8.65	\$181.16	1	2
LFFPBVC4	Sweat	4	16.65	\$360.10	1	2

Threaded -NPT						
KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
LFFPBVT3/8	NPT	3/8	1.01	\$6.21	20	100
LFFPBVT1/2	NPT	1/2	0.44	\$8.12	20	100
LFFPBVT3/4	NPT	3/4	0.66	\$12.67	10	60
LFFPBVT1	NPT	1	1.11	\$19.32	8	40
LFFPBVT11/4	NPT	1-1/4	1.6	\$34.76	4	24
LFFPBVT11/2	NPT	1-1/2	2.46	\$51.93	3	18
LFFPBVT2	NPT	2	3.48	\$72.99	2	12
LFFPBVT21/2	NPT	2-1/2	7.81	\$155.32	2	4
LFFPBVT3	NPT	3	9.57	\$193.69	1	2
LFFPBVT4	NPT	4	18.18	\$427.50	1	2



**MATERIAL SPECIFICATIONS:**

- LEAD FREE BRASS

•(DRZ) Dezincification resistant performance Compliance with standard ISO 6509

**SPECIFICATIONS:**


- Working Pressure: 1/4" through 2"
- 600PSI WOG / CWP /150 PSI WSP
- NSF 61G, UL, CSA, and FM approved
- Working Pressure: 2-1/2" through 4"
- 400PSI WOG / CWP / 150 PSI WSP
- NSF61G, and CSA

**Features:**

- Full Port
- Adjustable Stem Packing Nut
- Threaded and Sweat
- Standard Lever Handle
- CSA / UL / FM / approved (NPT)
- Blowout-proof stem
- NSF 61-G LEAD FREE Certified

## Lead Free Ball Valves


List Price Sheet March 13, 2017


 <b>Compression</b>						
KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
LFBVCOMP1/2	Compression	1/2	0.52	\$9.49	10	100
LFBVCOMP3/4	Compression	3/4	0.77	\$14.79	10	60

**MATERIAL SPECIFICATIONS:**


- (DRZ) LEAD FREE BRASS
- Dezincification resistant performance Compliance with standard ISO 6509


<b>COMPRESSION BALL VALVE SPECIFICATIONS:</b>	
<ul style="list-style-type: none"> <li>• 600 WOG Full Port</li> <li>• PTFE Stem Sealing material The valve design meet the ASME B16.18</li> </ul>	<ul style="list-style-type: none"> <li>• Valves are suitable for the water, oil and gas</li> <li>• (DRZ) Lead Free Brass Ball Valve with Compression Ends</li> </ul>
<ul style="list-style-type: none"> <li>• Valves conform MSS SP-110</li> </ul>	


 <b>PEX x PEX</b>						
KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
LFPMBV1/2P	PEX x PEX	1/2	0.43	\$5.69	25	100
LFPMBV3/4P	PEX x PEX	3/4	0.52	\$8.84	10	100
LFPMBV1P	PEX x PEX	1	0.67	\$12.41	10	40

 <b>SWEAT x PEX</b>						
KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
LFCXPBV12	SWEAT x PEX	1/2	0.28	\$7.46	10	100
LFCXPBV34	SWEAT x PEX	3/4	0.43	\$10.56	10	100
LFCXPBV1	SWEAT x PEX	1	0.7	\$16.28	10	40

<b>PEX BALL VALVE SPECIFICATIONS:</b>	
<ul style="list-style-type: none"> <li>• 2-Piece, Forged brass body regular port PEX ends</li> <li>• Packing gland and O-ring on stem Heavy duty rust resistant handle with grip</li> <li>• Material: C37700, C46400</li> </ul>	<ul style="list-style-type: none"> <li>• 2-Piece, Forged brass body regular port Copper x PEX ends</li> <li>• Certification: IAPMO Approval</li> <li>• 600WOG Valves conform to ASTM F1807-4.</li> </ul>

 <b>PROPEX x PROPEX</b>						
KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
LFPROPEXBV12	PROPEX x PROPEX	1/2	0.33	\$9.03	10	100
LFPROPEXBV34	PROPEX x PROPEX	3/4	0.48	\$13.02	10	100
LFPROPEXBV1	PROPEX x PROPEX	1	0.84	\$22.79	8	80
LFPROPEXBV114	PROPEX x PROPEX	1-1/4	1.25	\$34.50	4	36
LFPROPEXBV112	PROPEX x PROPEX	1-1/2	1.85	\$50.82	2	24
LFPROPEXBV2	PROPEX x PROPEX	2	3.12	\$83.43	2	12


 <b>PROPEX x SWEAT</b>						
KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
LFPROPEXCBV12	PROPEX x SWEAT	1/2	0.28	\$8.88	10	100
LFPROPEXCBV34	PROPEX x SWEAT	3/4	0.43	\$12.87	10	100
LFPROPEXCBV1	PROPEX x SWEAT	1	0.7	\$25.15	10	40





- World Class Quality You Can Trust
- Globally Sourced & Competitively Priced
- Low Minimums & High Fill Rates


## Lead Free Ball Valves

List Price Sheet March 13, 2017

 <b>Sweat / C x C - with Waste</b>						
KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
LFFPBVWC1/2	SWEAT	1/2	0.48	\$10.29	10	100
LFFPBVWC3/4	SWEAT	3/4	0.76	\$14.52	10	60
LFFPBVWC1	SWEAT	1	1.17	\$22.70	8	40

 <b>Threaded/NPT - with Waste</b>						
KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
LFFPBVWT1/2	NPT	1/2	0.44	\$11.48	10	100
LFFPBVWT3/4	NPT	3/4	0.71	\$15.31	10	60
LFFPBVWT1	NPT	1	1.06	\$23.47	8	40

 <b>PEX - with Waste</b>						
KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
LFPMBVW1/2P	PEX	1/2	0.29	\$9.49	10	100
LFPMBVW3/4P	PEX	3/4	0.43	\$12.78	10	100

 <b>Compression - with Waste</b>						
KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
LFBVCOMPW1/2	COMPRESSION	1/2	0.55	\$12.49	10	100
LFBVCOMPW3/4	COMPRESSION	3/4	0.86	\$16.05	10	60

### MATERIAL SPECIFICATIONS:

- (DRZ) LEAD FREE BRASS • Dezincification resistant performance  
 Compliance with standard ISO 6509



### SPECIFICATIONS:

- Forged brass body full port for water application
  - 2-Piece, Design
  - 600psi Non-Shock WOG
- Packing gland and O-ring on stem creates reliable seal.
  - Heavy duty rust resistant handle with grip
  - Temperature range -20°C to 65°C (-4°F to 149°F).
- Allows draining of the non-pressure side of the valve when closed.
  - Material: C37700, C46400



### FEATURES:

- Integrated drain
  - Standard Lever Handle
- Blowout-proof stem
  - Adjustable Stem Packing Nut
- Full Port Design
- Compression & PEX
- Threaded & Sweat

## LEAD FREE BALL VALVES



### SWEAT X GARDEN HOSE CONNECTION



Part #	Type	Size	Inner Box Qty.	Master Carton	Weight	List Price
LFFPHEBVC1/2	SWEAT	1/2"	20	100	.52	\$11.12
LFFPHEBVC3/4	SWEAT	3/4"	10	60	.77	\$15.04

#### MATERIAL SPECIFICATIONS:

- (DRZ) LEAD FREE BRASS
- Forged brass body full port
- 2-piece sweat 600WOG, 150 SWP
- Solder ends comply with
- ANSI B16.18
- Allows draining of the non-pressure side of the valve when closed
- Material: C37700, C46400



### IPS / THREADED X GARDEN HOSE CONNECTION



Part #	Type	Size	Inner Box Qty.	Master Carton	WT	List Price
LFFPHEBVT1/2	IPS	1/2"	20	100	.52	\$11.52
LFFPHEBVT3/4	IPS	3/4"	10	60	.77	\$15.71

#### MATERIAL SPECIFICATIONS:

- (DRZ) LEAD FREE BRASS
- Forged brass body full port
- 2-piece sweat 600WOG, 150 SWP
- Thread ends comply with
- ANSI B1.20.1
- Allows draining of the non-pressure side of the valve when closed
- Material: C37700, C46400