



Corporate Headquarters
 500 Green St
 Woodbridge, NJ 07095
 Phone: 800-526-5104
 Fax: 800-438-7823
www.ksdusa.com

KSD Leaded Valves

List Price Sheet Effective March 13, 2017

KSD Leaded Ball Valves FPBVC Series						
KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
FPBVC3/8	SWEAT	3/8	0.35	\$5.98	20	100
FPBVC1/2	SWEAT	1/2	0.4	\$5.98	20	100
FPBVC3/4	SWEAT	3/4	0.64	\$9.45	10	60
FPBVC1	SWEAT	1	1.01	\$14.99	8	40
FPBVC11/4	SWEAT	1-1/4	1.48	\$24.85	4	24
FPBVC11/2	SWEAT	1-1/2	2.33	\$34.65	3	18
FPBVC2	SWEAT	2	3.21	\$50.19	2	12
FPBVC21/2	SWEAT	2-1/2	6.58	\$109.51	2	4
FPBVC3	SWEAT	3	8.65	\$143.36	2	2
FPBVC4	SWEAT	4	16.65	\$281.30	2	2

KSD Leaded Ball Valves FPBVC Series						
KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
FPBVWC1/2	SWEAT W/ WASTE	1/2	0.4	\$9.24	20	100
FPBVWC3/4	SWEAT W/ WASTE	3/4	0.64	\$12.96	10	60

KSD Leaded Ball Valves FPBVT Series						
KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
FPBVT1/4	NPT	1/4	0.3	\$5.98	20	100
FPBVT3/8	NPT	3/8	1.01	\$6.63	20	100
FPBVT1/2	NPT	1/2	0.44	\$6.63	20	100
FPBVT3/4	NPT	3/4	0.66	\$10.16	10	60
FPBVT1	NPT	1	1.11	\$16.34	8	40
FPBVT11/4	NPT	1-1/4	1.6	\$25.25	4	24
FPBVT11/2	NPT	1-1/2	2.46	\$37.36	3	18
FPBVT2	NPT	2-	3.48	\$55.13	2	12
FPBVT21/2	NPT	2-1/2	7.81	\$127.75	2	4
FPBVT3	NPT	3	9.57	\$161.06	2	2
FPBVT4	NPT	4	18.18	\$310.51	2	2



MATERIAL SPECIFICATIONS:

- BODY: Forged Brass, UNS #C37700
- SEAT: Virgin PTFE
- BALL: Copper Alloy, Cu > 57%, Cr. Plated
- STEM PACKING: Virgin PTFE
- NUT: Corrosion Resistant Plated Steel
- STEM: Brass, ASTM B16, UNS #C36000
- RETAINER: Forged Brass, UNS #C37700
- HANDLE: Corrosion Resistant Plated Steel
- GLAND: Brass, ASTM B16, UNS#C36000

SPECIFICATIONS:

- Working Pressure: 1/4"-2" – 600PSI WOG
- 150 PSI WSP
- 2 1/2"-4" – 400PSI WOG
- 150 PSI WSP

FEATURES:


- Full port
- Adjustable Stem Packing Nut
- Compact
- Silicone Free
- CSA & UL approved (NPT)





Corporate Headquarters
 500 Green St
 Woodbridge, NJ 07095
 Phone: 800-526-5104
 Fax: 800-438-7823
www.ksdusa.com

Lead Free Isolation Ball Valves

List Price Sheet March 13, 2016

	Isolation Ball Valves - Iron Pipe						
	KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
	ISOLATIONBVIP12	Iron Pipe	1/2	1.13	\$19.58	1	20
	ISOLATIONBVIP34	Iron Pipe	3/4	1.38	\$24.41	1	20
	ISOLATIONBVIP1	Iron Pipe	1	1.71	\$32.97	1	20
	ISOLATIONBVIP114	Iron Pipe	1-1/4	2.29	\$50.35	1	20

	Isolation Ball Valves - Sweat						
	KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
	ISOLATIONBVC12	Sweat	1/2	1.11	\$25.83	1	20
	ISOLATIONBVC34	Sweat	3/4	1.36	\$30.71	1	20
	ISOLATIONBVC1	Sweat	1	1.65	\$38.50	1	20
	ISOLATIONBVC114	Sweat	1-1/4	2.21	\$47.80	1	20

	Isolation Ball Valves - Press						
	KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
	ISOLATIONBVP12	Press	1/2	1.15	\$25.90	1	20
	ISOLATIONBVP34	Press	3/4	1.44	\$31.55	1	20
	ISOLATIONBVP1	Press	1	1.73	\$33.13	1	20
	ISOLATIONBVP114	Press	1-1/4	2.25	\$52.34	1	20



Corporate Headquarters
 500 Green St
 Woodbridge, NJ 07095
 Phone: 800-526-5104
 Fax: 800-438-7823
www.ksdusa.com

KSD Lead Free Ball Valves

List Price Sheet March 13, 2017

Sweat - C x C						
KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
LFFPBVC1/2	Sweat	1/2	0.4	\$7.63	20	100
LFFPBVC3/4	Sweat	3/4	0.64	\$12.05	10	60
LFFPBVC1	Sweat	1	1.01	\$18.66	8	40
LFFPBVC11/4	Sweat	1-1/4	1.48	\$35.20	4	24
LFFPBVC11/2	Sweat	1-1/2	2.33	\$46.40	3	18
LFFPBVC2	Sweat	2	3.21	\$69.76	2	12
LFFPBVC21/2	Sweat	2-1/2	6.58	\$138.71	2	4
LFFPBVC3	Sweat	3	8.65	\$181.16	1	2
LFFPBVC4	Sweat	4	16.65	\$360.10	1	2

Threaded -NPT						
KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
LFFPBVT3/8	NPT	3/8	1.01	\$6.21	20	100
LFFPBVT1/2	NPT	1/2	0.44	\$8.12	20	100
LFFPBVT3/4	NPT	3/4	0.66	\$12.67	10	60
LFFPBVT1	NPT	1	1.11	\$19.32	8	40
LFFPBVT11/4	NPT	1-1/4	1.6	\$34.76	4	24
LFFPBVT11/2	NPT	1-1/2	2.46	\$51.93	3	18
LFFPBVT2	NPT	2	3.48	\$72.99	2	12
LFFPBVT21/2	NPT	2-1/2	7.81	\$155.32	2	4
LFFPBVT3	NPT	3	9.57	\$193.69	1	2
LFFPBVT4	NPT	4	18.18	\$427.50	1	2



MATERIAL SPECIFICATIONS:

- LEAD FREE BRASS

• (DRZ) Dezincification resistant performance Compliance with standard ISO 6509

SPECIFICATIONS:


- Working Pressure: 1/4" through 2"
- 600PSI WOG / CWP /150 PSI WSP
- NSF 61G, UL, CSA, and FM approved
- Working Pressure: 2-1/2" through 4"
- 400PSI WOG / CWP / 150 PSI WSP
- NSF61G, and CSA

Features:

- Full Port
- Adjustable Stem Packing Nut
- Threaded and Sweat
- Standard Lever Handle
- CSA / UL / FM / approved (NPT)
- Blowout-proof stem
- NSF 61-G LEAD FREE Certified

KSD Lead Free Ball Valves


List Price Sheet March 13, 2017


 Compression						
KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
LFBVCOMP1/2	Compression	1/2	0.52	\$9.49	10	100
LFBVCOMP3/4	Compression	3/4	0.77	\$14.79	10	60

MATERIAL SPECIFICATIONS:


- (DRZ) LEAD FREE BRASS
- Dezincification resistant performance Compliance with standard ISO 6509


COMPRESSION BALL VALVE SPECIFICATIONS:		
<ul style="list-style-type: none"> • 600 WOG Full Port • PTFE Stem Sealing material The valve design meet the ASME B16.18 	<ul style="list-style-type: none"> • Valves are suitable for the water, oil and gas • (DRZ) Lead Free Brass Ball Valve with Compression Ends 	<ul style="list-style-type: none"> • Valves conform MSS SP-110


 PEX x PEX						
KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
LFPMBV1/2P	PEX x PEX	1/2	0.43	\$5.69	25	100
LFPMBV3/4P	PEX x PEX	3/4	0.52	\$8.84	10	100
LFPMBV1P	PEX x PEX	1	0.67	\$12.41	10	40

 SWEAT x PEX						
KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
LFCXPBV12	SWEAT x PEX	1/2	0.28	\$7.46	10	100
LFCXPBV34	SWEAT x PEX	3/4	0.43	\$10.56	10	100
LFCXPBV1	SWEAT x PEX	1	0.7	\$16.28	10	40

PEX BALL VALVE SPECIFICATIONS:		
<ul style="list-style-type: none"> • 2-Piece, Forged brass body regular port PEX ends • Packing gland and O-ring on stem Heavy duty rust resistant handle with grip • Material: C37700, C46400 	<ul style="list-style-type: none"> • 2-Piece, Forged brass body regular port Copper x PEX ends • Certification: IAPMO Approval • 600WOG Valves conform to ASTM F1807-4. 	

 PROPEX x PROPEX						
KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
LFPROPEXBV12	PROPEX x PROPEX	1/2	0.33	\$9.03	10	100
LFPROPEXBV34	PROPEX x PROPEX	3/4	0.48	\$13.02	10	100
LFPROPEXBV1	PROPEX x PROPEX	1	0.84	\$22.79	8	80
LFPROPEXBV114	PROPEX x PROPEX	1-1/4	1.25	\$34.50	4	36
LFPROPEXBV112	PROPEX x PROPEX	1-1/2	1.85	\$50.82	2	24
LFPROPEXBV2	PROPEX x PROPEX	2	3.12	\$83.43	2	12

 PROPEX x SWEAT						
KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
LFPROPEXCBV12	PROPEX x SWEAT	1/2	0.28	\$8.88	10	100
LFPROPEXCBV34	PROPEX x SWEAT	3/4	0.43	\$12.87	10	100
LFPROPEXCBV1	PROPEX x SWEAT	1	0.7	\$25.15	10	40



- World Class Quality You Can Trust
- Globally Sourced & Competitively Priced
- Low Minimums & High Fill Rates

KSD Lead Free Ball Valves

List Price Sheet March 13, 2017

Sweat / C x C - with Waste						
KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
LFFPBVWC1/2	SWEAT	1/2	0.48	\$10.29	10	100
LFFPBVWC3/4	SWEAT	3/4	0.76	\$14.52	10	60
LFFPBVWC1	SWEAT	1	1.17	\$22.70	8	40

Threaded/NPT - with Waste						
KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
LFFPBVWT1/2	NPT	1/2	0.44	\$11.48	10	100
LFFPBVWT3/4	NPT	3/4	0.71	\$15.31	10	60
LFFPBVWT1	NPT	1	1.06	\$23.47	8	40

PEX - with Waste						
KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
LFPMBVW1/2P	PEX	1/2	0.29	\$9.49	10	100
LFPMBVW3/4P	PEX	3/4	0.43	\$12.78	10	100

Compression - with Waste						
KSD Part #	Type	Size	Lbs	List	Inner Box Qty.	Master Qty.
LFBVCOMPW1/2	COMPRESSION	1/2	0.55	\$12.49	10	100
LFBVCOMPW3/4	COMPRESSION	3/4	0.86	\$16.05	10	60

MATERIAL SPECIFICATIONS:

- (DRZ) LEAD FREE BRASS • Dezincification resistant performance
 Compliance with standard ISO 6509



SPECIFICATIONS:

- Forged brass body full port for water application
 - 2-Piece, Design
 - 600psi Non-Shock WOG
- Packing gland and O-ring on stem creates reliable seal.
 - Heavy duty rust resistant handle with grip
 - Temperature range -20°C to 65°C (-4°F to 149°F).
- Allows draining of the non-pressure side of the valve when closed.
 - Material: C37700, C46400



FEATURES:

- Integrated drain
 - Standard Lever Handle
- Blowout-proof stem
 - Adjustable Stem Packing Nut
- Full Port Design
- Compression & PEX
- Threaded & Sweat

KSD LEAD FREE BALL VALVES



SWEAT X GARDEN HOSE CONNECTION



Part #	Type	Size	Inner Box Qty.	Master Carton	Weight	List Price
LFFPHEBVC1/2	SWEAT	1/2"	20	100	.52	\$11.12
LFFPHEBVC3/4	SWEAT	3/4"	10	60	.77	\$15.04

MATERIAL SPECIFICATIONS:

- (DRZ) LEAD FREE BRASS
- Forged brass body full port
- 2-piece sweat 600WOG, 150 SWP
- Solder ends comply with
- ANSI B16.18
- Allows draining of the non-pressure side of the valve when closed
- Material: C37700, C46400



IPS / THREADED X GARDEN HOSE CONNECTION



Part #	Type	Size	Inner Box Qty.	Master Carton	WT	List Price
LFFPHEBVT1/2	IPS	1/2"	20	100	.52	\$11.52
LFFPHEBVT3/4	IPS	3/4"	10	60	.77	\$15.71

MATERIAL SPECIFICATIONS:

- (DRZ) LEAD FREE BRASS
- Forged brass body full port
- 2-piece sweat 600WOG, 150 SWP
- Thread ends comply with
- ANSI B1.20.1
- Allows draining of the non-pressure side of the valve when closed
- Material: C37700, C46400