



## HHXX.EX15201 Fittings, Cast Iron, Ductile Iron, Malleable Iron and Bronze

[Page Bottom](#)

### Fittings, Cast Iron, Ductile Iron, Malleable Iron and Bronze

[See General Information for Fittings, Cast Iron, Ductile Iron, Malleable Iron and Bronze](#)**BIS PIPE FITTING INDUSTRY CO LTD**

EX15201

107 MOO 4 PETCHKASEM RD  
OMNOI KRATUMBAN  
SAMUTSAKORN, 74130 THAILAND

**Malleable Iron Threaded Fittings (ANSI/ASME B16.3)****Fittings fabricated with dimensional specifications in accordance with ANSI/ASME B16.3**

Model/Fig.	Configuration	Size (in.)	Rated Pressure (psig)
90	90o Elbows	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	300
120	45o Elbows	1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	300
92	90o Street Elbows	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	300
121	45o Street Elbows	1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	300
90R	90o Reducing Elbows	1/4 x 1/8, 3/8 x 1/4, 3/8 x 1/8, 1/2 x 3/8, 1/2 x 1/4, 3/4 x 1/2, 3/4 x 3/8, 3/4 x 1/4, 1 x 3/4, 1 x 1/2, 1 x 3/8, 1-1/4 x 1, 1-1/4 x 3/4, 1-1/4 x 1/2, 1-1/2 x 1-1/4, 1-1/2 x 1, 1-1/2 x 3/4, 2 x 1-1/2, 2 x 1-1/4, 2 x 1, 2 x 3/4, 2-1/2 x 2, 2-1/2 x 1-1/2, 3 x 2-1/2, 3 x 2, 4 x 3	300
134	Street Tee	1/2, 3/4, 1, 1-1/2, 2	300
130	Tees	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	300
270	Couplings	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	300
240	Reducing Couplings	1/4 x 1/8, 3/8 x 1/8, 3/8 x 1/4, 1/2 x 1/8, 1/2 x 1/4, 1/2 x 3/8, 3/4 x 1/8, 3/4 x 1/4, 3/4 x 3/8, 3/4 x 1/2, 1 x 1/4, 1 x 3/8, 1 x 1/2, 1 x 3/4, 1-1/4 x 3/8, 1-1/4 x 1/2, 1-1/4 x 3/4, 1-1/4 x 1, 1-1/2 x 3/8, 1-1/2 x 1/2, 1-1/2 x 3/4, 1-1/2 x 1, 1-1/2 x 1-1/4, 2 x 1/2, 2 x 3/4, 2 x 1, 2 x 1-1/4, 2 x 1-1/2, 2-1/2 x 1/2, 2-1/2 x 3/4, 2-1/2 x 1, 2-1/2 x 1-1/4, 2-1/2 x 1-1/2, 2-1/2 x 2, 3 x 1/2, 3 x 3/4, 3 x 1, 3 x 1-1/4, 3 x 1-1/2, 3 x 2, 3 x 2-1/2, 4 x 1/2, 4 x 3/4, 4 x 1, 4 x 1-1/4, 4 x 1-1/2, 4 x 2, 4 x 2-1/2, 4 x 3	300
301	Caps	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	300
180	Crosses	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	300
165	Y Branches	1/2, 3/4, 1, 1-1/4, 1-1/2, 2	300
130R	Reducing Tees	1/4 x 1/4 x 1/8, 1/8 x 1/8 x 1/4, 3/8 x 3/8 x 1/4, 3/8 x 3/8 x 3/8, 1/8 x 1/4 x 3/8, 3/8 x 1/4 x 1/4, 1/4 x 1/4 x 3/8, 1/2 x 1/2 x 3/8, 1/2 x 1/2 x 1/4, 1/2 x 3/8 x 1/2, 1/2 x 3/8 x 3/8, 1/2 x 1/4 x 1/2, 3/8 x 3/8 x 1/2, 3/4 x 3/4 x 1/2, 3/4 x 3/4 x 3/8, 3/4 x 3/4 x 1/4, 3/4 x 1/2 x 3/4, 3/4 x 1/2 x 1/2, 3/4 x 1/2 x 3/8, 3/4 x 3/8 x 3/4, 3/4 x 3/8 x 3/8, 3/4 x 1/4 x 3/4, 1/2 x 1/2 x 3/4, 1 x 1 x 3/4, 1 x 1 x 1/2, 1 x 1 x 3/8, 1 x 1 x 1/4, 1 x 3/4 x 1, 1 x 3/4 x 3/4, 1 x 3/4 x 1/2, 1 x 1/2 x 1, 1 x 1/2 x 3/4, 1 x 1/2 x 1/2, 3/4 x 3/4 x 1, 1/2 x 1/2 x 1, 1-1/4 x 1-1/4 x 1, 1-1/4 x 1-1/4 x 3/4, 1-1/4 x 1-1/4 x 1/2, 1-1/4 x 1-1/4 x 3/8, 1-1/4 x 1 x 1-1/4, 1-1/4 x 1 x 1, 1-1/4 x 1 x 3/4, 1-1/4 x 1 x 1/2, 1-1/4 x 3/4 x 1-1/4, 1-1/4 x 3/4 x 1, 1-1/4 x 3/4 x 3/4, 1-1/4 x 1/2 x 1-1/4, 1-1/4 x 1/2 x 1, 1 x 1 x 1-1/4, 3/4 x 3/4 x 1-1/4, 1-1/2 x 1-1/2 x 1-1/4, 1-1/2 x 1-1/2 x 1, 1-1/2 x 1-1/2 x 3/4, 1-1/2 x 1-1/2 x 1/2, 1-1/2 x 1-1/4 x 1-1/2, 1-1/2 x 1-1/4 x 1/2, 1-1/2 x 1 x 1-1/2, 1-1/2 x 1 x 1-1/4, 1-1/2 x 1 x 1, 1-1/2 x 3/4 x 1/2, 1-1/2 x 1/2 x 1-1/2, 1-1/4 x 1-1/4 x 1-1/2, 1 x 1 x 1-1/2, 2 x 2 x 1-1/2, 2 x 2 x 1-1/4, 2 x 2 x 1, 2 x 2 x 3/4, 2 x 2 x 1/2, 2 x 1-1/2 x 2, 2 x 1-1/2 x 1-1/2, 2 x 1-1/2 x 1-1/4, 2 x 1-1/2 x 1, 2 x 1-1/4 x 2, 2 x 1-1/4 x 1-1/2, 2 x 1-1/4 x 1-1/4, 2 x 1 x 2, 2 x 1 x 1-1/2, 2 x 3/4 x 2, 2 x 1/2 x 2, 1-1/2 x 1-1/2 x 2, 1-1/4 x 1-1/4 x 2, 1 x 1 x 2, 2-1/2 x 2-1/2 x 2, 2-1/2 x 2-1/2 x 1-1/2, 2-1/2 x 1-1/4, 2-1/2 x 2-1/2 x 1, 2-1/2 x 2-1/2 x 3/4, 2-1/2 x 2 x 2-1/2, 2-1/2 x 2 x 2, 2-1/2 x 1-1/2 x 2-1/2, 2-1/2 x 1-1/2 x 2, 2 x 2 x 2-1/2, 3 x 3 x 2-1/2, 3 x 3 x 2, 3 x 3 x 1-1/2, 3 x 3 x 1-	300

		1/4, 3 x 3 x 1-1/2, 3 x 3 x 3/4, 3 x 2-1/2 x 3, 3 x 2-1/2 x 2-1/2, 3 x 2-1/2 x 2, 3 x 2 x 3, 3 x 2 x 2, 2-1/2 x 2-1/2 x 3, 3-1/2 x 3-1/2 x 2-1/2, 4 x 4 x 3, 4 x 4 x 2-1/2, 4 x 4 x 2, 4 x 4 x 1-1/2, 4 x 3 x 4, 3 x 3 x 4
--	--	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Malleable Iron Threaded Fittings (ANSI/ASME B16.14)**

**Fittings fabricated with dimensional specifications in accordance with ANSI/ASME B16.14**

Model/Fig.	Configuration	Size (in.)	Rated Pressure (psig)
291	Cored Plugs	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 3-1/2	300
291	Slotted Head Plug	4	300
241	Outside & Inside Head Bushings	1/4 x 1/8, 3/8 x 1/4, 3/8 x 1/8, 1/2 x 3/8, 1/2 x 1/4, 1/2 x 1/8, 3/4 x 1/2, 3/4 x 3/8, 3/4 x 1/4, 3/4 x 1/8, 1 x 3/4, 1 x 1/2, 1 x 3/8, 1 x 1/4, 1 x 1/8, 1-1/4 x 1, 1-1/4 x 3/4, 1-1/4 x 1/2, 1-1/4 x 3/8, 1-1/4 x 1/4, 1-1/2 x 1-1/4, 1-1/2 x 1, 1-1/2 x 3/4, 1-1/2 x 1/2, 1-1/2 x 3/8, 1-1/2 x 1/4, 2 x 1-1/2, 2 x 1-1/4, 2 x 1, 2 x 3/4, 2 x 1/2, 2 x 3/8, 2 x 1/4, 2-1/2 x 2, 2-1/2 x 1-1/2, 2-1/2 x 1-1/4, 2-1/2 x 1, 1-1/2 x 3/4, 2-1/2 x 1/2, 3 x 2-1/2, 3 x 2, 3 x 1-1/2, 3 x 1-1/4, 3 x 1, 3 x 3/4, 3 x 1/2, 3-1/2 x 3, 3-1/2 x 2-1/2, 3-1/2 x 2, 3-1/2 x 1-1/2, 3-1/2 x 1-1/4, 3-1/2 x 1, 4 x 3-1/2, 4 x 3, 4 x 2-1/2, 4 x 2, 4 x 1-1/2, 4 x 1-1/4, 4 x 1	300
312	Locknuts	1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	300

**Malleable Iron Threaded Fittings (BS EN 10242)**

**Fittings fabricated with dimensional specifications in accordance with BS EN 10242**

Model/Fig.	Configuration	Size (in.)	Rated Pressure (psig)
90	Elbows, 90°	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 5, 6	362
130	Tees	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 5, 6	362
180	Crosses	1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	362
120	Elbows, 45°	3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2	362
92	Street Elbows, 90°	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3	362
121	Street Elbows, 45°	3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2	362
270	Couplings	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	362
301	Caps	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	362
90R	Elbows, Reducing 90°	3/8x 1/4; 1/2 x 3/8; 3/4 x 3/8, 1/2; 1 x 1/2, 3/4; 1-1/4 x 3/4, 1; 1-1/2 x 1, 1-1/4; 2 x 1-1/2; 2-1/2 x 2	362
130R	Tees, Reducing	3/8x 3/8x1/4, 1/2; 1/2 x 1/2 x 1/4, 3/8, 3/4, 1; 3/4 x 3/4 x 1/4, 3/8, 1/2, 1, 1-1/4; 3/4 x 3/8 x 3/4; 1 x 1 x 3/8, 1/2, 3/4, 1-1/4; 1 x 3/4 x 1/2, 3/4, 1; 1 x 1/2 x 1/2, 3/4, 1; 1-1/4 x 1-1/4 x 3/8, 1/2, 3/4, 1, 1-1/2, 2; 1-1/4 x 1 x 1/2, 3/4, 1, 1-1/4;	362

		1-1/4 x 3/4 x 3/4, 1, 1-1/4;	
		1-1/4 x 1/2 x 1-1/4;	
		1-1/2 x 1-1/2 x 1/2, 3/4, 1, 1-1/4, 2;	
		1-1/2 x 1-1/4 x 1/2, 3/4, 1, 1-1/4, 1-1/2;	
		1-1/2 x 1 x 1, 1-1/4, 1-1/2;	
		1-1/2 x 3/4 x 1-1/2;	
		1-1/2 x 1/2 x 1-1/2;	
		2 x 2 x 1/2, 3/4, 1, 1-1/4, 1-1/2;	
		2 x 1-1/2 x 1, 1-1/4, 1-1/2, 2;	
		2 x 1-1/4 x 1-1/4, 1-1/2, 2;	
		2 x 1 x 2;	
		2 x 3/4 x 2;	
		2-1/2 x 2-1/2 x 1, 1-1/4, 1-1/2, 2;	
		2-1/2 x 1-1/2 x 2, 2-1/2;	
		3 x 3 x 1, 1-1/4, 1-1/2, 2, 2-1/2;	
		3 x 2 x 2, 3;	
		4 x 4 x 2, 3	
240	Couplings, Reducing	1/4x1/8;	362
		3/8 x 1/4;	
		1/2 x 1/4, 3/8;	
		3/4 x 1/4, 3/8, 1/2:	
		1 x 3/8, 1/2, 3/4;	
		1-1/4 x 1/2, 3/4, 1;	
		1-1/2 x 1/2, 3/4, 1, 1-1/4;	
		2 x 1/2, 3/4, 1, 1-1/4, 1-1/2;	
		2-1/2 x 1-1/4, 1-1/2, 2;	
		3 x 1-1/2, 2, 2-1/2;	
		4 x 2, 2-1/2, 3	
291	Plugs	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	362
312	Locknuts	1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3	362
241	Bushings	1/4x1/8;	362
		3/8x1/8, 1/4;	
		1/2 x 1/8, 1/4, 3/8;	
		3/4 x 1/4, 3/8, 1/2:	
		1 x 3/8, 1/2, 3/4;	
		1-1/4 x 3/8, 1/2, 3/4, 1;	
		1-1/2 x 1/2, 3/4, 1, 1-1/4;	
		2 x 1/2, 3/4, 1, 1-1/4, 1-1/2;	
		2-1/2 x 1, 1-1/4, 1-1/2, 2;	
		3 x 1, 1-1/4, 1-1/2, 2, 2-1/2;	
		4 x 2, 2-1/2, 3	
280	Nipples	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	362
2	Bends Female 90°	1, 1-1/2, 2, 2-1/2, 4	362
1	Bends Male and Female 90°	1/4, 3/4, 1-1/2, 3, 4	362
	Hexagon Nipples,		

245	Reducing	3/8x1/4;	362
		1/2 x 1/4;	
		3/4 x 3/8, 1/2:	
		1 x 1/2, 3/4;	
		1-1/4 x 1/2, 3/4, 1;	
		1-1/2 x 3/4, 1, 1-1/4;	
		2 x 1, 1-1/4, 1-1/2;	
		2-1/2 x 2;	
		3 x 2, 2-1/2	

Last Updated on 2013-05-20

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2013 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2013 UL LLC".