

Wieland

Material Safety Data Sheet

Manufacturer Information

Manufacturer Name & Address:

Wieland Copper Products, LLC

3990 U.S. 311 Hwy N.

P.O. Box 160

Pine Hall, NC 27042

Phone: (336) 445-4500

Fax: (336) 427-8120

MSDS INFORMATION: (336) 445-4500

PREPARED BY: Chris Gentry

DATE ISSUED: Original September 22, 1992

Re-Type September 28, 2010

(Note: reason for Re-Type is company name change.)

Identification

CHEMICAL NAME: Copper [Cu]

CAS NUMBER: 7440-50-8

TRADE NAME: Copper Tube

Special Regulatory Hazards

<u>HAZARDOUS COMPONENTS</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>NIOSH</u>	<u>CANADA</u>	<u>CAS NO.</u>
Cu(s) 99.9 ⁺	Fume 0.1 mg/m ³	0.2 mg/m ³	-----	TWA 1 mg/m ³	7440-50-8
	Dust 1.0 mg/m ³	1.0 mg/m ³	-----	STEL 2 mg/m ³	

(s) Denotes chemicals subject to reporting requirements of SARA Title III, Section 313.

Physical

APPEARANCE AND ODOR: Red, Tubular shape; Negligible to no odor.

SOLUBILITY: Insoluble

MELTING POINT (°C): 1,083

VAPOR PRESSURE (mm Hg): N/A

BOILING POINT (°C): 2,595

VAPOR DENSITY (AIR = 1): N/A

SPECIFIC GRAVITY (H₂O = 1): 8.94

EVAPORATION RATE (Butyl Acetate = 1): N/A

Fire and Explosion Hazard Data

FLASH POINT:	N/A	AUTOIGNITION TEMP:	N/A
EXTINGUISHING MEDIA:	No specific agents recommended.	FLAMMABLE LIMITS:	N/A (LEL): N/A
UNUSUAL HAZARDS:	N/A		(UEL): N/A
SPECIAL FIRE FIGHTING PROCEDURES:	Recommended NIOSH / MSHA approved self-contained breathing apparatus		

Reactivity Data

STABILITY:	Stable
INCOMPATIBILITY (Materials to Avoid):	Contact with 52% hydrogen peroxide may cause a violent reaction. Contact with acetylene may form acetylides. Incompatible with 1-bromo-2-propyne. Water boils violently on contact with liquid copper.
DECOMPOSITION PRODUCTS:	At temperatures above boiling point, metal oxide fumes may be involved.
HAZARDOUS POLYMERIZATION:	Will Not Occur
DECOMPOSITION PRODUCTS:	N/A

Special Protection Information

RESPIRATORY PROTECTION:	Where airborne exposures may exceed OSHA/ACGIH permissible Concentrations, the minimum respiratory protection recommended is a negative air purifying air respirator with cartridges that are NIOSH/MSHA approved against dust, fumes and mists having a TWA not less than 0.05 mg/m ³ .
ENGINEERING CONTROLS:	Local exhaust ventilation is recommended for control of airborne dust, fumes and vapors in confined areas.
PERSONAL PROTECTION EQUIPMENT:	Gloves are recommended when exposed to dust. Approved safety glasses are recommended.
OTHER PROTECTIVE CLOTHING / EQUIPMENT:	Protective clothing for heavy dust exposure. Contaminated clothing should be removed before leaving plant.
SPECIAL WORK / HYGIENIC PRACTICES:	Avoid inhalation or ingestion. Practice good housekeeping and personal hygiene. If significant dust accumulation occurs, a shower is recommended.

Storage, Spills, and Disposal Information

STORAGE:	General storage procedures are acceptable. Avoid activities that generate fumes or dust. Use NIOSH/MSHA approved respiratory protection where ventilation cannot be provided.
SPILLS:	Any method that maintains minimal dust levels is acceptable. Vacuuming is preferred for removal of dust. Do not use compressed air for cleaning. Use approved respiratory protection when exposed to dust or fumes.
DISPOSAL:	Dispose of in accordance with state, local and federal regulations.

Health Related Data

ACUTE	INHALATION & INGESTION:	Dust / fumes can cause Metal Fume Fever, chills, Nausea, chest tightness, metallic taste and irritation of gastrointestinal tract.
	EYE CONTACT:	Small particles may cause irritation.
	SKIN CONTACT:	N/A
CHRONIC	INHALATION & INGESTION:	N/A
	EYE CONTACT:	N/A
	SKIN CONTACT:	Exposure to copper dust and fumes can cause skin and hair discoloration.
FIRST AID	INHALATION:	Move to fresh air. If not breathing, begin artificial respiration. If experiencing difficulty with breathing, give O ₂ . Get medical attention immediately.
	INGESTION:	Give 4-8 ounces of milk or water to conscious individual and induce vomiting. Get medical attention immediately.
	EYE CONTACT:	Flush with water. If irritation develops, get medical attention.

SARA III LISTINGS

Section 302, Extremely Hazardous Substances (Section 304, Reportable):	No
CERCLA, Hazardous Substances (Section 304, Reportable):	Yes
Section 313, Toxic Chemicals:	Yes

CATEGORIES

HMIS RATINGS

Health Hazard:	No	Health:	0
Chronic Hazard:	No	Flammability:	0
Fire Hazard:	No	Reactivity:	0
Pressure Hazard:	No		
Reactivity Hazard:	No		

CODES USED: N/A = Not Applicable

N/E = Not Established

The information and recommendations contained herein are based upon data that is accurate and reliable, to the best of Wieland Copper Product's knowledge and belief. With respect to information and recommendations, WCP makes no representations or warranties of any kind or nature, expressed or implied.